

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Agent 939 LEDFx

**SKU:** FGV211

**Spectrum:** White full-spectrum LED,  
Ceramic Metal Halide (CMH/LEC), Outdoor

**Lens Materials:** Polycarbonate

- Green-grey lens

**Lens Curve:** 8-base, decentered

**Frame Materials:** TR-90 nylon

- Injection molded frame
- Black frame

**Coating:** IR

**Frame Size:** 47x17x140mm

**Country of origin:** Italy

**Includes:** Microfiber pouch/cleaning cloth



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

#### LENS TECHNOLOGY

Method Seven delivers the LEDFx, a scientific formulation for comfort, visual acuity, safety and performance. The world's first organic lens to block significant infrared heat energy, which keeps your eyes cool and moist. This is a polycarbonate lightweight lens. The LEDfx lens was designed and developed by Method Seven with over two years of research in collaboration with engineers, optical physicists, ophthalmologists and manufacturing at Carl Zeiss Vision. The lens is perfect for Full Spectrum LED and is also great for urban life outside the grow.

#### FRAME TECHNOLOGY

The Agent 939 frame wraps with a curved base 8 lens for full protection along with big and bold temple side for side light protection. Bomber hinges and recessed rubber nose pads make the Agent 939 a comfortable and durable tool. The Agent 939 frame is comfortable and flexible as it's made with TR90! TR90 was produced through Swiss technology as a thermoplastic material that is incredibly durable, flexible, and lightweight. Eyewear made with TR90 have a flexible quality that allows them to bend under pressure and contour your face comfortably.

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Aviator HPS Clip On

**SKU:** FGV013

**Spectrum:** High Pressure Sodium (HPS)

**Lens Materials:** Polycarbonate

- Blue lens

**Lens Curve:** 6-base, decentered

**Frame Materials:** Frameless

- Coated clip on

**Coating:** Clear

**Frame Size:** 45x12x132mm

**Country of origin:** Taiwan

**Includes:** Microfiber pouch/cleaning cloth



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

Method Seven "Aviator HPS Clip-Ons" change the way you see your plants and grow room using your own prescription glasses! Our Aviator style clip-ons have high quality lenses with spring-loaded rubber coated metal clips that gently hold to your eyewear. This Aviator style fits over a wide variety of larger lenses. For smaller or less shaped lenses look at "The Classic" Clip-on. Manufactured in Italy to our exacting standards by Carl Zeiss Vision.

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Aviator LED Clip On

**SKU:** FGV014

**Spectrum:** High Pressure Sodium (HPS)

**Lens Materials:** Polycarbonate

- Green lens

**Lens Curve:** 6-base, decentered

**Frame Materials:** Frameless

- Coated clip on

**Coating:** Clear

**Frame Size:** 45x12x132mm

**Country of origin:** Taiwan

**Includes:** Microfiber pouch/cleaning cloth



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

Method Seven "Aviator LED Clip-Ons" change the way you see your plants and grow room using your own prescription glasses! Our Aviator style clip-ons have high quality lenses with spring-loaded rubber coated metal clips that gently hold to your eyewear. This Aviator style fits over a wide variety of larger lenses. For smaller or less shaped lenses look at "The Classic" Clip-on. Manufactured in Italy to our exacting standards by Carl Zeiss Vision.

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

### **Product Specifications | Coup HPS Plus (Black)**

**SKU:** FGV017

**Spectrum:** High Pressure Sodium (HPS)

**Lens Materials:** Mineral glass

- Blue glass, silver

**Lens Curve:** 6-base, decentered

**Frame Materials:** TR-90 nylon

- Injection molded frame
- Black frame

**Coating:** Flash siver, anti-reflective

**Frame Size:** 54x20x130mm

**Country of origin:** Italy

**Includes:** Microfiber pouch/cleaning cloth;  
hard clamshell case



#### **Certifications:**

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

#### **Description:**

Our Rendition HPS Plus+ lenses provide Perfect Color in the grow room that is only possible with our patent pending formulation of rare earth elements in german mineral glass. Enjoy your grow in style with these fashion-forward wayfarer frames sporting concealed flex-hinges!

With Silver+ coating, Coup is the ultimate in crossover grow / outdoor fashion eyewear.

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Coup HPS Plus (Green)

**SKU:** FGV018

**Spectrum:** High Pressure Sodium (HPS)

**Lens Materials:** Mineral glass

- Blue glass, silver

**Lens Curve:** 6-base, decentered

**Frame Materials:** TR-90 nylon

- Injection molded frame
- Green frame

**Coating:** Flash silver, anti-reflective

**Frame Size:** 54x20x130mm

**Country of origin:** Italy

**Includes:** Microfiber pouch/cleaning cloth;  
hard clamshell case



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

Our Rendition HPS Plus+ lenses provide Perfect Color in the grow room that is only possible with our patent pending formulation of rare earth elements in german mineral glass. Enjoy your grow in style with these fashion-forward wayfarer frames sporting concealed flex-hinges!

With Silver+ coating, Coup is the ultimate in crossover grow / outdoor fashion eyewear.

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Coup HPSx Transition

**SKU:** FGV020

**Spectrum:** High Pressure Sodium (HPS, Sunlight/Outdoor)

**Lens Materials:** Polycarbonate, Photochromic

- Blue, soft grey

**Lens Curve:** 6-base, decentered

**Frame Materials:** TR-90 nylon

- Injection molded frame
- Black frame

**Coating:** Clear

**Frame Size:** 54x20x130mm

**Country of origin:** Italy

**Includes:** Microfiber pouch/cleaning cloth



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

Sunglass by day, grow glass by night. The HPSx lens is a proprietary polycarbonate blend that allows it to transition from the signature blue of our HPS color-balancing technology to a dark grey/blue tint when exposed to direct sunlight.

Transition is activated by direct sunlight and darkens fully within three minutes. Transition experience varies based on conditions and UV exposure. Experience balanced color and protect your eyes for hours of comfort and enjoyment, wherever the day takes you. Italian-made Coup frame with concealed flex hinges. HPSx lens made in the USA. Microfiber pouch included for proper cleaning and storage.

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Coup SUN Polarized

**Spectrum:** Sunlight

**Lens Materials:** Polycarbonate

**Lens Curve:** 6-base, decentered

**Frame Materials:** TR-90 nylon

- injection molded frame

**Coating:** polarized

**SKU:** FGV080

**Frame Size:** 54x20x130mm



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

#### LENS TECHNOLOGY

Conventional sunglasses typically flatten or over-enhance color. Method Seven's SUNp spectrum lens is designed to moderately attenuate light (darken slightly) while respecting balanced color under sunlight. The Method Seven SUNp lens is polarized, helping cut glare reflected from foliage and enhancing ability to accurately discern color. This is a high quality polycarbonate lightweight lens.

#### FRAME TECHNOLOGY

The Coup frame is extremely comfortable and flexible as it's made with TR90! TR90 was produced through Swiss technology as a thermoplastic material that is incredibly durable, flexible, and lightweight. Eyewear made with TR90 have a flexible quality that allows them to bend under pressure and contour your face comfortably. The Evolution frame also uses concealed flex-hinges that make them a comfortable fit.

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Cultivator HPS Plus

**SKU:** FGV021

**Spectrum:** High Pressure Sodium (HPS)

**Lens Materials:** Polycarbonate

- blue , silver

**Lens Curve:** 8-base, decentered

**Frame Materials:** TR-90 nylon

- Injection molded frame
- Black Frame

**Coating:** Flash silver

**Frame Size:** 75x14x122mm

**Country of origin:** Taiwan

**Includes:** Microfiber pouch/cleaning cloth



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

The Cultivator HPS Plus+ provides great value and exceptional color balancing for HPS lighting with our proprietary lenses manufactured by Carl Zeiss Vision.

Lenses are polycarbonate with 100% UV protection and Flash Silver exterior lens coating. Like other premium eyewear and unlike typical value eyewear, these lenses are decentered (asymmetrical) to eliminate distortion that would otherwise occur with a curved lens. The Cultivator frame features a rubber nose pad which holds the frames comfortably for hours, even in hot conditions.



1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Cultivator LED Plus

**SKU:** FGV022

**Spectrum:** Purple/magenta light emitting diode (LED)

**Lens Materials:** Polycarbonate

- Green lens

**Lens Curve:** 8-base, decentered

**Frame Materials:** TR-90 nylon

- Injection molded frame
- Black Frame

**Coating:** Flash silver

**Frame Size:** 75x14x122mm

**Country of origin:** Taiwan

**Includes:** Microfiber pouch/cleaning cloth



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

The Cultivator LED Plus provides great value and exceptional color balancing for LED lighting with our proprietary lenses manufactured by Carl Zeiss Vision.

Lenses are polycarbonate with 100% UV protection and Flash Silver exterior lens coating. Like other premium eyewear and unlike typical value eyewear, these lenses are decentered (asymmetrical) to eliminate distortion that would otherwise occur with a curved lens. The Cultivator frame features a rubber nose pad which holds the frames comfortably for hours, even in hot conditions.

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Evolution SUN Polarized

**SKU:** FGV080

**Spectrum:** Sunlight

**Lens Materials:** Polycarbonate

- Soft grey

**Lens Curve:** 6-base, decentered

**Frame Materials:** TR-90 nylon

- Injection molded frame
- Black frame

**Coating:** polarized

**Frame Size:** 47x15x145mm

**Country of origin:** Italy

**Includes:** Microfiber pouch/cleaning cloth



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

#### LENS TECHNOLOGY

Conventional sunglasses typically flatten or over-enhance color. Method Seven's SUNp spectrum lens is designed to moderately attenuate light (darken slightly) while respecting balanced color under sunlight. The Method Seven SUNp lens is polarized, helping cut glare reflected from foliage and enhancing ability to accurately discern color. This is a high quality polycarbonate lightweight lens.

#### FRAME TECHNOLOGY

The Evolution frame is extremely comfortable and flexible as it's made with TR90! TR90 was produced through Swiss technology as a thermoplastic material that is incredibly durable, flexible, and lightweight. Eyewear made with TR90 have a flexible quality that allows them to bend under pressure and contour your face comfortably. The Evolution frame also uses concealed flex-hinges that make them a comfortable fit.

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | HPS Camera Photo Filter

**SKU:** FGV081

**Spectrum:** High Pressure Sodium (HPS)

**Lens Materials:** mineral glass

- blue glass

**Lens Curve:** 8-base, decentered

**Frame Materials:** T6 Aluminum

- Anodized Type II with seal
- Black plate

**Coating:** Clear

**Frame Size:** 83.8 x 120 x 3.1mm

**Country of origin:** United States

**Includes:** Microfiber pouch/cleaning cloth

**Compatible with:** Cokin Camera filter system - "P" series



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass

### Description:

Introducing the world's first HPS lens filter. Get amazing "Perfect Color" photos and video inside your grow! Precision German glass filter lens with our patent pending Rendition Perfect Color HPS technology, housed in anodized aluminum and compatible with any camera fitted with a Cokin "P" filter holder (not included).

With our photo filter, photographers and videographers can shoot in the harsh yellow light spectrum found under hps lights, and get perfect white balanced imagery and stunning results.

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | LED Camera Photo Filter

**SKU:** FGV082

**Spectrum:** Purple/magenta light emitting diode (LED)

**Lens Materials:** Polycarbonate

- Green lens

**Lens Curve:** 8-base, decentered

**Frame Materials:** T6 Aluminum

- Anodized Type II with seal
- Black plate

**Coating:** Clear

**Frame Size:** 83.8 x 120 x 3.1mm

**Country of origin:** United States

**Includes:** Microfiber pouch/cleaning cloth

**Compatible with:** Cokin Camera filter system - "P" series



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass

### Description:

Introducing the world's first LED lens filter.

Our specially formulated LED camera lens ideally balances the light output of popular LED lights, allowing you to take amazing photos and video inside your LED grow! Made to our specifications by Carl Zeiss Optics, housed in anodized aluminum and compatible with any camera fitted with a Cokin "P" filter holder (not included).



1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Operator HPS Plus

**SKU:** FGV023

**Spectrum:** High Pressure Sodium (HPS)

**Lens Materials:** Polycarbonate

- blue , silver

**Lens Curve:** 8-base, decentered

**Frame Materials:** TR-90 nylon

- Injection molded frame
- Black frame

**Coating:** flash silver

**Frame Size:** 63.75x17x120mm

**Country of origin:** Italy

**Includes:** Microfiber pouch/cleaning cloth



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

Experience exceptional color balancing for HPS (high pressure sodium) lighting with our proprietary lenses manufactured for us to exacting standards by Carl Zeiss Vision. Our silver plus lens coating makes the Operator HPS Plus a good choice for outdoors too.

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Operator LED Plus

**SKU:** FGV025

**Spectrum:** Purple/magenta light emitting diode (LED)

**Lens Materials:** Polycarbonate

- Green lens

**Lens Curve:** 8-base, decentered

**Frame Materials:** TR-90 nylon

- Injection molded frame
- Black Frame

**Coating:** Flash silver

**Frame Size:** 63.75x17x120mm

**Country of origin:** Italy

**Includes:** Microfiber pouch/cleaning cloth



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

Like nothing else, the world's first optics optimized for LED lighting environments. Lenses manufactured to exacting standards and optical clarity by Carl Zeiss color balance the most popular commercial LED grow lights. Now with silver plus lens coating. Change the way you grow! Color, Clarity, and Protection benefit you and your plants.

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Operator MH Plus

**SKU:** FGV026

**Spectrum:** Metal halide (MH)

**Lens Materials:** Polycarbonate

- Warm grey

**Lens Curve:** 8-base, decentered

**Frame Materials:** TR-90 nylon

- Injection molded frame
- Black frame

**Coating:** Flash silver

**Frame Size:** 63.75x17x120mm

**Country of origin:** Italy

**Includes:** Microfiber pouch/cleaning cloth



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

Experience exceptional color balancing for MH (metal halide) lighting with our proprietary polycarbonate lenses manufactured for us to exacting standards by Carl Zeiss Vision. Our silver plus lens coating makes the Operator MH Plus+ a good choice for outdoors too.

- Pairs well with ceramic metal halide lights (CMH/LEC), and some cool-white fluorescent lights.
- Excellent for snow activities

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Resistance HPS Plus

**SKU:** FGV028

**Spectrum:** High Pressure Sodium (HPS)

**Lens Materials:** Mineral glass

- Blue glass, silver

**Lens Curve:** 8-base, decentered

**Frame Materials:** TR-90 nylon

- Injection molded frame
- Black frame

**Coating:** Flash Silver, anti-reflective

**Frame Size:** 62x16x130mm

**Country of origin:** Italy

**Includes:** Microfiber pouch/cleaning cloth;  
hard clamshell case



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

The Resistance utilizes patent pending Rendition lens technology and is the world's ultimate pair of glasses for the grower in search of "Perfect Color" in their HPS lit grow. The Resistance Plus adds silver "plus" coating for brighter, large scale grow rooms. Optimal for double ended HPS lighting systems. These also work great as a soothing, blue tinted sunglass.

Lenses are manufactured from the highest quality German mineral glass which also provides that highest level of clarity available.



1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Resistance HPS

**SKU:** FGV027

**Spectrum:** High Pressure Sodium (HPS)

**Lens Materials:** mineral glass

- blue glass

**Lens Curve:** 8-base, decentered

**Frame Materials:** TR-90 nylon

- injection molded frame
- black frame

**Coating:** Clear

**Frame Size:** 62x16x130mm

**Country of origin:** Italy

**Includes:** Microfiber pouch/cleaning cloth;  
hard clamshell case



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

The world's ultimate optical tool for indoor growers using HPS lights, providing "Perfect Color" with the patent pending Rendition Technology. Lenses are manufactured from the highest quality German mineral glass with the perfect mix of rare earth elements for the ultimate in Color, Clarity, and Protection.

1010 Fair Ave., Suite F, Santa Cruz, CA 95060 USA  
Phone: 831-600-7455 | Fax: 831-480-4996  
Email: customerservice@methodseven.com

## Product Specifications | Resistance Sun Polarized

**SKU:** FGV029

**Spectrum:** Sunlight/outdoor

**Lens Materials:** Polycarbonate

- Soft grey

**Lens Curve:** 8-base, decentered

**Frame Materials:** TR-90 nylon

- Injection molded frame
- Black frame

**Coating:** Polarized

**Frame Size:** 62x16x130mm

**Country of origin:** Italy

**Includes:** Microfiber pouch/cleaning cloth



### Certifications:

- ANSI Z87.1-2015 High Impact Spectacles - A2LA Accredited Certificate
- DROP BALL TEST: Pass
- FDA Medical Device Registration number 3009391881

### Description:

#### LENS TECHNOLOGY

Conventional sunglasses typically flatten or over-enhance color. Method Seven's SUNp spectrum lens is designed to moderately attenuate light (darken slightly) while respecting balanced color under sunlight. The Method Seven SUNp lens is polarized, helping cut glare reflected from foliage and enhancing ability to accurately discern color. This is a high quality polycarbonate lightweight lens.

#### FRAME TECHNOLOGY

The Italian made Resistance frame provides full protection from the sun and glare with its Base 8 wrap curve. The frame features flex hinges and limited-slip rubber accents on the temples and nose piece to keep it secure on your head while inspecting your flowers or bombing down the slopes. Injected molded with lightweight thermoplastic provides a comfortable and lightweight frame.